



Government of India  
Ministry of Environment, Forest and Climate Change  
(Issued by the State Environment Impact Assessment  
Authority(SEIAA), MAHARASHTRA)

To,

The Owner  
JKG DEVELOPERS  
Kamat Gandhi Classic, 796/A/3, Dr. Ketkar Marg, Erandawane -411004

**Subject:** Grant of Environmental Clearance (EC) to the proposed Project Activity under the provision of EIA Notification 2006-regarding

Sir/Madam,

This is in reference to your application for Environmental Clearance (EC) in respect of project submitted to the SEIAA vide proposal number SIA/MH/INFRA2/439131/2023 dated 04 Aug 2023. The particulars of the environmental clearance granted to the project are as below.

1. EC Identification No.	EC24B038MH134037
2. File No.	SIA/MH/INFRA2/439131/2023
3. Project Type	New
4. Category	B
5. Project/Activity including Schedule No.	8(a) Building and Construction projects
6. Name of Project	Residential & Commercial Project at Gat No. 571, Village – Wagholi, Haveli, Pune by M/s. JKG Developers
7. Name of Company/Organization	JKG DEVELOPERS
8. Location of Project	MAHARASHTRA
9. TOR Date	N/A

The project details along with terms and conditions are appended herewith from page no 2 onwards.

Date: 07/02/2024

(e-signed)  
Pravin C. Darade , I.A.S.  
Member Secretary  
SEIAA - (MAHARASHTRA)

*Note: A valid environmental clearance shall be one that has EC identification number & E-Sign generated from PARIVESH. Please quote identification number in all future correspondence.*

*This is a computer generated cover page.*

PARIVESH

(Pro-Active and Responsive Facilitation by Interactive,  
and Virtuous Environmental Single-Window Hub)



## STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

No. SIA/MH/INFRA2/439131/2023  
Environment & Climate  
Change Department  
Room No. 217, 2<sup>nd</sup> Floor,  
Mantralaya, Mumbai- 400032.

To  
M/s. JKG Developers,  
Plot 1, Gat No. 571,  
Village – Wagholi,  
Haveli, Pune.

Subject : Environmental Clearance for Proposed Residential & Commercial project at Plot 1, Gat No. 571, Village – Wagholi, Haveli, Pune by M/s. JKG Developers

Reference : Application no. SIA/MH/INFRA2/439131/2023

This has reference to your communication on the above-mentioned subject. The proposal was considered by the SEAC-3 in its 182<sup>nd</sup> meeting under screening category 8 (a) B2 as per EIA Notification, 2006 and recommend to SEIAA. Proposal then considered in 272<sup>nd</sup> (Day-3) meeting of State Level Environment Impact Assessment Authority (SEIAA) held on 28<sup>th</sup> December, 2023.

2. Brief Information of the project submitted by you is as below:-

1	Proposal Number	<b>SIA/MH/INFRA2/439131/2023</b>	
2	Name of Project	Proposed Residential & Commercial project at Plot 1, Gat No. 571, Village – Wagholi, Haveli, Pune by M/s. JKG Developers	
3	Project category	8 (a), B2	
4	Type of Institution	Private Limited	
5	Project Proponent	Name	M/s. JKG Developers
		Regd. Office address	Kamat Gandhi Classic, 796/A/3, Dr. Ketkar Marg, Erawande
		Contact number	9823158485
		e-mail	jkgdevelopers@gmail.com
6	Consultant	Sneha Hi-Tech Products NABET Accredited Certificate No. NABET/EIA/2124/RA0235 dated 05.04.2022 valid till 15.02.2024	
7	Applied for	Fresh	
8	Details of previous EC	EC vide letter no. SEAC-2010/CR.885/TC.2 was obtained on 17.10.2011	
9	Location of the project	Gat No. 571, Village – Wagholi, Haveli, Pune	
10	Latitude and Longitude	Latitude: 18°35'10.69"N, Longitude: 73°59'21.75"E	
11	Total Plot Area (m2)	72,483.56	
12	Deductions (m2)	31,296.55	

13	Net Plot area (m2)	41,187.01					
14	Proposed FSI area (m2)	82,372.57					
15	Proposed non-FSI area (m2)	53,669.31					
16	Proposed TBUA (m2)	1,36,041.88					
17	TBUA (m2) approved by Planning Authority till date	In process					
18	Ground coverage (m2) & %	20,908.07 (50.76%)					
19	Total Project Cost (Rs.)	Rs. 294.42 Cr					
20	CER as per MoEF & CC circular dated 01/05/2018	NA, per Memorandum 22-65/2017-IA-III dated 25th February 2021					
21	Details of Building Configuration: <Please use following legends: Floor = F, Parking = Pk, Podium = Po, Stilt = St, Ground = G, Lower Ground = LG, Upper Ground = UG, Basement = B, Shops = Sh>	Reason for Modification /Change					
	<b>Previous EC / Existing Building</b>	<b>Proposed Configuration</b>					
	Building name	Configuration	Height (m)	Building name	Configuration	Height (m)	Remarks
	3 Buildings	G+8 Floors	26.1	Bldg C1, C2, C3	P + 8 floors	26.1	Constructed on site & occupied as per previous EC
	8 Buildings 1 building	G+12 Floors G + 9 Floors	-	6 buildings Bldg B1, B2, B3 & B4	G + 1st + 13 floors (along with Shops at G + 1)	45.00	Change in planning
				B5, B6	2P + 11 floors	39.10	
	Commercial 1	G + 1 Floor	9.00	Commercial 1	G + 1 floor	9.00	Constructed on site & occupied as per previous EC
	-	-	-	Commercial Bldg A	B + G + 1 floor	10.80	Newly proposed
	Clubhouse 1	G + 1 Floor	7.05	Clubhouse 1	G + 1 floor	7.05	Constructed on site as per previous EC
	-	-	-	Clubhouse 2	G + 1 floor	7.05	Newly proposed
	-	-	-	Clubhouse 3	G + 1 floor	7.3	
	5 Buildings	G+8 Floors	-	-	-	-	Plot deleted
	1 Commercial	Gr floor	-	-	-	-	Deleted
	1 School	G + 8 floors	-	-	-	-	As per OM dtd 09.06.2015, school bldg is exempted from EC
	4 hostels	G + 11	-	-	-	-	Deducted as

		floors				amenity plot
23	Total number of tenements		Existing: Residential: 352 nos., Commercial: 324.48 sq.m. Proposed: Residential: 574 nos., Shops: 58 nos., Commercial: 3724.40 sq.m, Users: 6091 Nos.			
24	Water Budget	Dry Season (CMD)		Wet Season (CMD)		
		Fresh Water	462 KLD	Fresh Water	462 KLD	
		Recycled (Flushing)	237 KLD	Recycled (Flushing)	237 KLD	
		Recycled (Gardening)	44 KLD	Recycled (Gardening)	0 KLD	
		Swimming Pool	-	Swimming Pool	-	
		Total	743 KLD	Total	699 KLD	
		Waste water generation	644 KLD	Waste water generation	644 KLD	
25	Water Storage Capacity for Firefighting / UGT (m3)		Domestic tank		420 cum	
			Fire tank		500 cum	
			Raw water tank		60 cum	
26	Source of water		PMC/ treated water			
27	Rainwater Harvesting (RWH)		Level of the Ground water table:		Post monsoon Season: 6 – 8 m BGL Pre monsoon Season: 10 – 11 m BGL	
			Size and no of RWH tank(s) and Quantity:		Nil	
			Quantity and size of recharge pits:		15 nos. 15 with 2 x 2 m x 2 m	
			Details of UGT tanks if any:		--	
28	Sewage and Wastewater		Sewage generation in CMD:		644 KLD	
			STP technology:		MBBR	
			Capacity of STP (CMD):		660 KLD (Proposed: 390 KLD & 40 KLD, Existing: 230 KLD)	
29	Solid Waste Management during Construction Phase		Type	Quantity (kg/d)	Treatment / disposal	
			Dry waste:	15		
			Wet waste:	10		
			Total waste	25	Utilized on site at maximum extent. Rest handed over to local body	
30	Solid Waste Management during Operation Phase		Type	Quantity (kg/d)	Treatment / disposal	
			Dry waste:	1147 kg/day	Handed over to Authorized Agency	
			Wet waste:	1544 kg/day	Treated in OWC	
			Hazardous waste:	Negligible		

		Biomedical waste	Biomedical waste like Mask, Gloves, Face shields etc. (required for Pandemic situation)	Shall be segregated at designated place near OWC and shall be given to authorized vendor for management
		E-Waste	9.88 kg/day	Shall be handed over to Authorized recycler for further handling & disposal purpose
		STP Sludge	32 kg/day	Used as manure for gardening
31	Green Belt Development	Total RG area (m2):		On ground (proposed): 6645.55 sq.m. On ground (existing): 4191.51 sq.m. Additional green area: 2410.88 sq.m
		Existing trees on plot:		216 nos.
		Number of trees to be planted:		Total trees required on site: 515 nos.  Proposed plantation to be done on site: 507 nos.  Compensatory plantation: 617 nos.  Plantation to be done outside site: 487 nos.  Total number of trees on site after development: 668 nos.
		Number of trees to be cut:		55
		Number of trees to be transplanted:		Nil
32	Power requirement:	Source of power supply:		MSEDCL
		During Construction Phase (Demand Load):		45 kW
		During Operation phase (Connected load):		7670.35 kW
		During Operation phase (Demand load):		3783.59 kW
		Transformer:		4 X 630 kVA & 630 kVA & 315 kVA
		DG set:		2 X 125 kVA & 2 X 250

				kVA, 2 X 225 kVA	
			Fuel used:	HSD	
33	Details of Energy saving	Total energy savings: 24.71 %			
34	Environmental Management plan budget during Construction phase	Type	Details	Cost	
		Capital	Site Barricading, Personal Protective Equipment, Site Sanitation-toilets & Mobile Debris Management	15.00	
		O&M	Water for Dust Suppression	2.00	
			Site Sanitation, Disinfection & Safety	1.5	
			Environmental Monitoring	2.00	
			Health Check up	5.00	
			Environment Management Cell	8.04	
			Total	33.54	
35	Environmental Management plan Budget during Operation phase	Component	Details	Capital (Rs. Lakh)	O&M (Rs. Lakh/Y)
		Sewage treatment	STP Operation and its maintenance	91.52	16.55
		RWH & Storm water	Recharging existing ground water table, SWD - Connection to external line	50.00	2.32
		Swimming pool	Swimming pool and its maintenance	-	-
		Solid Waste	Collection Segregation and management of MSW	24.19	10.30
		Hazardous waste	NA	NA	NA
		E-waste	Collection Segregation and hand over to authorized vendors	Included in Solid waste	
		Green belt development	Plantation of new trees and maintenance of existing trees	56.44	3.39
		Energy saving	Energy saving measures	273.70	27.37
		Environmental Monitoring	To monitor sustainability of Environmental Infrastructure	-	4.0
Environment Management Cell	--	-	7.8		

		Disaster Management	Emergency preparedness plan to develop and implement on site	75.00	15.0
		Total	--	570.85	86.73
36	Traffic Management	Type	Required as per DCR	Actual Provided	Area per parking (m2)
		4-Wheeler	479	814	25 – 35
		2-Wheeler	1243	1243	-
37	Details of Court cases/litigations w.r.t. the project and project location if any.			No	

Comparative statement of the project-

Sr. No.	Description	Details as per EC received dated 17.10.2011	Proposed Expansion	Remarks
1	Total Plot Area (Sq.m.)	1,19,000	72,483.56	Subdivision of plot
2	Deductions (Sq.m.)	-	31,296.55	
3	Net Plot Area (Sq.m.)	-	41187.01	
4	Proposed FSI Sq.m.)	95,148.10	82,372.57	Decreased in FSI 12,775.53 sq.m
5	Non FSI Area (Sq.m.)	40,482	53,669.31	Increase in non FSI area by 13,187.31 sq.m
6	Total Construction Area (Sq.m.)	1,35,630.10	1,36,041.88	Increased by 411.78 sq.m
7	Building Configuration	3 Buildings: G+8 Floors	Bldg C1, C2, C3: P + 8 floors	No change. Constructed on site as per previous EC & occupied
		1 Commercial Building: G + 1 Floor	Commercial 1: G + 1 floor	
		5 Buildings: G+8 Floors		Plot has been subdivided
		8 Buildings: G+12 Floors	B1, B2, B3 & B4 (along with Shops at G+ 1): G + 1st + 13 floors	Change in Planning
		1 Building: G+9 Floors	B5, B6: 2P + 11 floors	
		1 Commercial Buildings: G + 1 Floor	-	Deleted
		1 School Building: G+8 Floors	-	As per OM dtd 09.06.2015, school bldg is exempted from EC
		4 Hostel Buildings: G+11 Floors	-	Plot deducted as amenity
		-	Commercial Bldg A: B + G + 1 floor	Newly proposed
		Clubhouse 1: G + 1	Clubhouse 1: G +	No change.

	floor	1 floor	Constructed on site
	-	Clubhouse 2 & 3: G + 1 floor	Newly proposed

3. The proposal has been considered by SEIAA in its 272<sup>nd</sup> (Day-3) meeting held on 28<sup>th</sup> December, 2023 and decided to accord Environment Clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implantation of following terms and conditions-

**Specific Conditions:**

**A. SEAC Conditions-**

1. PP to submit the copy of IoD.
2. PP to submit the Fire NOC.
3. PP to replace the *Nagkesar* trees with other indigenous plant species.
4. PP to increase the energy saving through solar energy by giving solar water heater. PP to submit the revised energy calculations.
5. PP to submit details of roof top area with respect to rain water harvesting calculation. PP to submit the revised rain water harvesting calculation.
6. PP to provide electric charging facility by providing charging points at suitable places as per Maharashtra Electric Vehicle Policy, 2021. Also, PP to ensure that, the water proposed to be used for construction phase should not be drinking water. They can use recycled water or tanker water for proposed construction.

**B. SEIAA Conditions-**

1. PP has provided mandatory RG area of 6944.67 m<sup>2</sup> on mother earth without any construction i.e. Club House, services etc. Local planning authority to ensure the compliance of the same.
2. PP to plant as many trees as cumulative age of trees to be cut and transplanted as per amended Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975.
3. PP to keep open space unpaved so as to ensure permeability of water. However, whenever paving is deemed necessary, PP to provide grass pavers of suitable types & strength to increase the water permeable area as well as to allow effective fire tender movement.
4. PP to achieve at least 5% of total energy requirement from solar/other renewable sources.
5. PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF& CC vide F.No.22-34/2018-IA III dt.04.01.2019.
6. SEIAA after deliberation decided to grant EC for-FSI-82,372.57 m<sup>2</sup>, Non FSI-53,669.31 m<sup>2</sup>, total BUA- 1,36,041.88 m<sup>2</sup>. (Plan approval No-Outward no 5178, dated-09.10.2023)

**General Conditions:**

**a) Construction Phase :-**

- I. The solid waste generated should be properly collected and segregated. Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering

- recyclable material.
- II. Disposal of muck, Construction spoils, including bituminous material during construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in the approved sites with the approval of competent authority.
  - III. Any hazardous waste generated during construction phase should be disposed of as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
  - IV. Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
  - V. Arrangement shall be made that waste water and storm water do not get mixed.
  - VI. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices.
  - VII. The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
  - VIII. Permission to draw ground water for construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
  - IX. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
  - X. The Energy Conservation Building code shall be strictly adhered to.
  - XI. All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
  - XII. Additional soil for levelling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
  - XIII. Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
  - XIV. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance.
  - XV. The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
  - XVI. Vehicles hired for transportation of Raw material shall strictly comply the emission norms prescribed by Ministry of Road Transport & Highways Department. The vehicle shall be adequately covered to avoid spillage/leakages.
  - XVII. Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
  - XVIII. Diesel power generating sets proposed as source of backup power for elevators and

common area illumination during construction phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel is preferred. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.

- XIX. Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings by a separate environment cell /designated person.

**B) Operation phase:-**

- I. a) The solid waste generated should be properly collected and segregated. b) Wet waste should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. c) Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.
- III. a) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Treated effluent emanating from STP shall be recycled/ reused to the maximum extent possible. Treatment of 100% grey water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP. b) PP to give 100 % treatment to sewage /Liquid waste and explore the possibility to recycle at least 50 % of water, Local authority should ensure this.
- IV. Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement.
- V. The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.
- VI. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
- VII. PP to provide adequate electric charging points for electric vehicles (EVs).
- VIII. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
- IX. A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
- X. Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes.

- XI. The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at parivesh.nic.in
- XII. A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- XIII. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO<sub>2</sub>, NO<sub>x</sub> (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.

**C) General EC Conditions:-**

- I. PP has to strictly abide by the conditions stipulated by SEAC& SEIAA.
- II. If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
- III. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
- IV. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
- V. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
- VI. No further Expansion or modifications, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the SEIAA. In case of deviations or alterations in the project proposal from those submitted to SEIAA for clearance, a fresh reference shall be made to the SEIAA as applicable to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
- VII. This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.

4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.
5. This Environment Clearance is issued purely from an environment point of view without prejudice to any court cases and all other applicable permissions/ NOCs shall be obtained before starting proposed work at site.
6. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.
7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, amended from time to time.
8. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.
9. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1<sup>st</sup> Floor, D-Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.



Pravin Darade  
(Member Secretary, SEIAA)

Copy to:

1. Chairman, SEIAA, Mumbai.
2. Secretary, MoEF & CC, IA- Division MOEF & CC
3. Member Secretary, Maharashtra Pollution Control Board, Mumbai.
4. Regional Office MoEF & CC, Nagpur
5. District Collector, Pune.
6. Commissioner, Pune Municipal Corporation /PMRDA
7. Regional Officer, Maharashtra Pollution Control Board, Pune.

